







- v. An employee with symptoms or with an elevated temperature upon entry into the facility will be sent home for appropriate medical evaluation.
  - vi. The employee's name will be added to the surveillance line list by the Infection Control nurse or designee.
4. An Employee who develops symptoms or fever consistent with COVID-19 while on duty:
- a. Must immediately stop working and report to their supervisor, who will notify the Infection Control Nurse/ or designee who will:
    - i. Ascertain what residents, staff, equipment, and locations within the facility that may have been exposed from the employee and notify nursing supervisor/ administration. The facility will seek the guidance of the Regional Epidemiologist at the NYSDOH.
    - ii. Instruct the employee to self-isolate at home (as recommended by the NYSDOH) and to notify their primary care physician for further guidance.

#### **Temporary Restrictions with Visitation**

will restrict entry to the facility to the extent possible during the COVID-19 pandemic/national emergency as per the regulations and guidance related to restricting a resident's right to visitors found on CDC website (updated to include COVID-10 Pandemic) and in 42 CFR 483.10(f) (4) and F-tag 563 of Appendix PP of the State Operations Manual.

D All non-medically necessary visitation will be restricted until further interim guidance is received from the CDC, CMS and/or New York State Department of Health.

- b. The facility will utilize email, website posting and phone calls to notify families as needed with updates on the facility COVID-19 information including residents confirmed positive, resident expirations and staff health updates.
- c. Vendors (X-ray and Laboratory) will be allowed to provide diagnostic services for residents and are screened upon entering the facility.

d. The vendor pharmacy will deliver all medications to the nursing supervisor, at the designated door. Medication returns will be kept in a locked place until pharmacy can obtain returns.

e. Visits that the facility has determined to be medically necessary:

i. Visitor is essential to the care of the patient or is providing support in imminent end-of-life situations

ii. Family members of residents in imminent end-of-life situations, and those providing Palliative Care will be determined on a case-by-case basis. This will include the careful screening of the visitor (including clergy, bereavement counselors, etc.) for fever, chronic cough, shortness of breath, sore throat, lack of smell and taste or respiratory symptoms.

- For individuals that enter in compassionate situations (end-of-life) the facility staff will reinforce each visitor's proper hand hygiene practices and use of PPE (gown and face mask, gloves if necessary).
- The duration and number of visits should be minimized.
- Visitors will only be allowed in designated area in facility (i.e. Adult Day Care)

### **Anticipating Resident Care and Emotional Needs**

1. Our clinical, social services and psychology staff will provide additional emotional support for all resident who maybe directly or indirectly affected by the temporary restrictions placed on visitation.
2. Alternate means of communicating are available (video calls, facetimeing, window visits).
3. Emotional and psychosocial support will be provided for residents during visitation restrictions in collaboration with their selected representative.
4. Additional Telehealth visits are available for psychology services.
5. Refer the resident to clergy(videocalls).

### **Personal Protective Equipment and Hand Hygiene**

1. Hudson Hill Center for Rehabilitation and Nursing will provide appropriate PPE's in accordance with OSHA PPE

Standard-(29 CFR 1910).

2. All employees (in all departments) must wear a facemask while in the facility. Face shields/ goggles are to be worn if employee is within 6 feet of a resident.
3. Transmission Based Precautions will be implemented and signage instructing the appropriate use of PPE's will be posted outside the resident's door.
  - a. The door will be kept closed as appropriate.
4. Communal dining and all group activities are suspended.
5. All residents will be provided with hand wipes for hand hygiene or assisted to perform hand hygiene before and after meals, and as needed.

### **Resident Categories**

Hudson Hill Center for Rehabilitation and Nursing has identified three categories for the delivery of care amidst the COVID-19 pandemic. They are:

1. Confirmed COVID-19 positive as evident by testing
2. Presumed COVID-19 positive as evident by COVID-19 related symptoms (fever, cough, loss of appetite, shortness of breath)
3. Non-COVID
  - a. Residents will be placed on a non-COVID or PUI unit to the best of our ability.
  - b. Residents will be cohorted using the categories above.

As such, no COVID-19 positive residents will be cohorted with "Presumed COVID-19, non-COVID-19 and/or vice versa. (See Facility Policy on Cohorting).
4. With guidance of NY State Epidemiologist

### **Resident Placement**

1. Residents will be placed in a private room if one is available.
2. Residents will be cohorted in the categories above.
3. Resident information is monitored and submitted to the NYSDOH HERDS submission made daily and to CMS weekly.

### **Personal Protective Equipment (PPE)**

At no time are gloves to be reused or used for extended periods or for multiple patients.

### **Hand Hygiene**

1. Hand Hygiene must be performed for at least 20 seconds with soap and water or alcohol-based hand sanitizing gel:
  - a. Before donning and doffing PPE's
  - b. When gloves are torn, visibly soiled, or removed.
  - c. Before and after all patient contact, contact with potentially infectious material, before putting on and upon removal of PPE, including gloves.
  - d. Hand hygiene using ABHS cannot be used, if hands are visibly soiled.
2. Hand hygiene supplies are readily available in every care location.
3. Facilities will:
  - a. Increase the availability and accessibility of alcohol-based hand sanitizers, no-touch receptacles for disposal, and appropriate PPE's at our facility entrances, waiting areas/lobbies, and resident care areas, etc.
  - b. Ensure ABHS and/or soap and water are accessible in all resident-care areas including inside and in hallways by resident rooms.

### **Resident Surveillance**

1. All residents on the affected units will be actively monitored at least once per shift.
  - a. All monitoring results will be documented in the EMR.
2. All residents in affected units "will remain in their room as feasible".
  - a. Activities will be offered as preferred for residents in their rooms to the extent possible.
3. COVID19 positive residents must wear facemasks when any care is being rendered as tolerated. Residents must also wear facemask if they leave their room or sit in the doorway to their room.
4. Floating of staff will be minimized as not to affect delivery of care activities.
5. Residents on the affected units must be placed on Droplet and Contact Transmission Based Precautions until a physician has performed a medical evaluation and resolved COVID-19 related symptoms.
  - a. Resolution of symptoms will follow CDC's guidance:
    - i. Test- based strategy or non-test-based strategy.
  - b. Until further information is available regarding viral shedding after clinical improvement, discontinuation of isolation precautions will be determined on a case by

case basis with a physician to physician peer review. Factors that will be considered include:

- i. Presence of symptoms related to COVID-19 infection, date symptoms began, other conditions that would require specific precautions (e.g., tuberculosis, Clostridium, difficile), other laboratory information reflecting clinical status, and alternatives to inpatient isolation.
6. All employees must wear PPE.
7. Residents who initially tested negative, may be re-tested upon the development of symptoms consistent with COVID-19 if tests are available.
8. Residents may vary in severity of symptoms and may develop severe symptoms that require transfer to hospital for a higher level of care.

### **Discharge**

1. Before transferring the resident for a higher level (acute care) of services, emergency \ medical services and the receiving facility should be alerted to the resident's diagnosis and precautionary measures.
2. If the patient does not require hospitalization, they may be discharged home if deemed medically and socially appropriate.
3. Pending transfer or discharge, place a facemask on the resident and keep the door closed, if feasible.
  - a. Provide instructions for COVID-19 related discharge as per CDC guidelines.
4. Terminal cleaning will be performed after the individual is removed using an EPA-approved emerging viral pathogens product that claims resistance against COVID-19.

### **Admission/Re-Admission**

1. Residents will be admitted or re-admitted as long as the facility can follow the CDC's guidance for transmission-based precautions and with a negative test result.
2. If we are unable to follow the CDC's guidance for Transmission-based Precautions for COVID-19, we will wait until these precautions are modified in the hospital/acute care setting before admitting/readmitting the resident.

### **Education-Resident and Staff**



1. Resident education sessions will be provided initially at Resident Council Meetings.
2. Staff education will be provided through actual in-services and through Health Care Academy and as needed.
3. Education sessions may include:
  - a. Job-or task-specific education and training on preventing the transmission of COVID-19.
  - b. How to use facemasks to cover nose and mouth when coughing or sneezing, to dispose of tissues and contaminated items in waste receptacles, and how and when to perform hand hygiene.
  - c. Proper donning (putting on) and doffing (taking off), and disposal of PPE.
  - d. Strict hand hygiene enforcement to include:
    - i. Residents hands should be cleaned before and after meals.
    - ii. Hand Hygiene competencies for all employees in all departments
    - iii. Review of hand hygiene
  - e. When entering the room of a resident with known or suspected COVID-19 (i.e., PUI), ensuring signage, adherence to Standard, Contact, and Droplet, Precautions as applicable, and the use of appropriate PPE.
  - f. Only essential personnel should enter the room to minimize the number of staff members who enter the room.
    - i. Dependent on staffing conditions we may consider caring for these patients with dedicated staff minimize the risk of transmission and exposure to other patients and other staff members.
  - g. Use dedicated or disposable noncritical patient-care equipment (e.g., blood pressure cuffs, stethoscope).
  - h. Standard practice for pathogens spread by the airborne route (e.g., measles, tuberculosis) is to restrict unprotected individuals including HCP, from entering a vacated room until sufficient time has elapsed for enough air changes to remove potentially infectious particles.
    - i. It is not yet known how long COVID-19 remains infectious in the air. In the interim, it is reasonable to apply a similar time period before entering the room without respiratory protection as used for pathogens spread by the airborne route (e.g., measles, tuberculosis).

i. In addition, the room should undergo appropriate terminal cleaning and surface disinfection before it is returned to routine use.

ii. Transmission of SARS-CoV2 (person-to-person among close contacts (about 6 feet).

- Person-to-person spread is thought to occur mainly via respiratory droplets produced when an infected person coughs or sneezes, similar to how influenza and other respiratory pathogens spread. These droplets can land in the mouths or noses of people who are nearby or possibly be inhaled into the lungs.
- With COVID-19, there have been reports of spread from an infected patient with no symptoms to a close contact.

j. Prevention

i. There is currently no vaccine to prevent COVID-19 infection.

ii. The best way to prevent infection is to avoid being exposed to this virus.

Everyday preventive actions to help prevent the spread of respiratory viruses include:

- Wash hands often with soap and water for at least 20 seconds, especially after going to the bathroom; before eating; and after blowing your nose, coughing, sneezing, before and after eating.
- If soap and water are not readily available, use an alcohol-based hand sanitizer (ABHS) with at least 60% alcohol.
- Always wash hands with soap and water if hands are visibly dirty.
- Avoid touching your eyes, nose, and mouth with unwashed hands.
- Avoid close contact with people who are sick.
- Stay home when you are sick and symptomatic.
- Follow respiratory hygiene, cough etiquette and hand hygiene precautions at all times.
  - a. Cover your cough or sneeze into your elbow. If you sneeze into a tissue, wash your hands after throwing the tissue (one use) in the trash.

- Clean and disinfect frequently touched objects and surfaces with an EPA-approved emerging viral pathogens product that claims resistance against COVID-19.

k. Treatment

- i. As of the development of this policy there is no specific antiviral treatment recommended for COVID-19 infection.
- ii. Individuals infected with COVID-19 should receive supportive care to help relieve symptoms.
- iii. For severe cases, treatment can include care to support vital organ functions.
- iv. Treatment of symptoms will commence after provider notification and collaboration.

l. Personal Protective Equipment (PPE)

i. Training will include:

- when to use PPE
- what PPE is necessary
- donning and doffing in a manner to prevent self-contamination
- how to properly dispose of and maintain PPE; and the limitations of PPE

**Gloves**

1. Perform hand hygiene, then put on clean, non-sterile gloves upon entry into the patient room or care area.
2. Change gloves if they become torn or heavily contaminated
3. Do not double glove
4. Remove and discard gloves when leaving the patient room or care area, and immediately perform hand hygiene.

**Gowns**

Change the gown if it becomes soiled or wet

1. Remove and discard the gown in a dedicated container for waste before leaving the patient care area for extended use.
2. Disposable gowns must be discarded after use.

### **Respiratory Protection**

1. Respiratory protection is mandatory before entry into the patient room or care area.
2. Do not touch the front of the mask.

### **Eye Protection**

1. Put on eye protection (a disposable face shield or goggles) upon entry to the patient care area.
2. Disinfect eye protection after use.
3. Perform hand hygiene after cleaning eye protection.

### **Equipment Care**

1. Proper cleaning/disinfecting of equipment between each resident use will be performed according to the manufacturer's instructions
2. Dedicated point-of-care equipment category will be cleaned and disinfected between each resident use.
3. Medical equipment such as mechanical lifts sharing between residents require disinfection between residents.
4. Disinfect workplace areas (nurse's stations, phones, internal radios, medication carts, treatment carts, emergency carts, etc.).

### **Engineering and Administrative Controls**

1. Physical barriers or partitions to guide patients through common areas curtains between patients in shared areas.
2. Increase signage (lobby, etc.) for educational cues and reminders.
3. Visual alerts (e.g., signs, posters) in strategic places (e.g. waiting areas, cafeterias, screens/monitors) to provide patients and staff with instructions (in appropriate languages) about hand hygiene, respiratory hygiene, cough etiquette, transmission and prevention of COVID-19 infection.
4. Monitor the use of PPE's to capture demand and burn rates per facility.
5. Hudson Hill Center for Rehabilitation and Nursing will update its:

- a. Emergency Preparedness Plan COVID-19 Pandemic
  - b. Infection Control and Prevention Facility Assessment
6. Track exposed employees
  7. Movement and monitoring decisions for employees with exposure to COVID-19 will be made in consultation with public health authorities.
  8. Hudson Hill Center for Rehabilitation and Nursing will refer to the updated Interim U.S. Guidance for Risk Assessment and Public Health Management of Healthcare Personnel with Potential Exposure in a Healthcare Setting to Patients with Coronavirus Disease 2019 (COVID-19) and other local state and federal resources for current information.
  9. Environmental cleaning and disinfection procedures will be followed consistently and correctly.
    - a. Routine cleaning and disinfection procedures (e.g., using cleaners and water to pre-clean surfaces before applying an EPA-registered) are appropriate for COVID-19, including those patient-care areas in which aerosol-generating (nebulizer) procedures are performed.
  10. Products with EPA-approved emerging viral pathogens claims are recommended for use against COVID-19.
  11. Management of laundry, food service utensils and medical waste will be performed per routine procedural guidelines.
  12. Enhance cleaning activities in common and on high-tough areas will be implemented.
  13. Hudson Hill Center for Rehabilitation and Nursing will implement mechanisms that promptly alert key facility staff including infection control, facility leadership, and frontline staff about known or suspected COVID-19 patients (i.e., PUI), staff and visitors.
  14. Promptly communicate and collaborate with public health authorities.